

- 1 CMS 2011. American Academy of Emergency Medicine. Centers for Medicare & Medicaid Services (CMS). State Operations Provider Certification. Revised Appendix A, Interpretive Guidelines for Hospitals. CMS publication no. 100-07. January 14, 2011. Available at: https://www.cms.gov/SurveyCertificationgeninfo/downloads/SCLetter11_10.pdf. Accessed Oct 8, 2012.
- 2 Green SM, Mason KP. Reformulation of the sedation continuum. *JAMA*. 2010 Mar 3;303(9):876-7.
- 3 Green SM, Krauss B. The semantics of ketamine. *Ann Emerg Med*. November 2000;36:480-482.
- 4 Green SM, Krauss B. Procedural sedation terminology: moving beyond “conscious sedation.” *Ann Emerg Med*. April 2002;39:433-435.
- 5 Apfelbaum et al. American Society of Anesthesiologists Committee. Practice guidelines for preoperative fasting and the use of pharmacologic agents to reduce the risk of pulmonary aspiration: application to healthy patients undergoing elective procedures: an updated report by the American Society of Anesthesiologists Committee on Standards and Practice Parameters. *Anesthesiology*. 2011Mar;114(3):495-511. PubMed PMID: 21307770.
- 6 Smally AJ, Nowicki TA, Simelton BH. Procedural sedation and analgesia in the emergency department. *Curr Opin Crit Care*. 2011 Aug;17(4):317-22. Review. PubMed PMID: 21677578.
- 7 Thorpe RJ, Bengler J. Preprocedural fasting in emergency sedation. *Emerg Med J* 2010; 27:254–261.
- 8 Molina JA, Lobo CA, Goh HK, et al. Review of studies and guidelines on fasting and procedural sedation in the emergency department. *Int J Evid Based Healthc* 2010; 8:75–78.
- 9 Roback MG, Bajaj L, Wathen JE, et al. Preprocedural fasting and adverse events in procedural sedation and analgesia in a pediatric emergency department: are they related? *Ann Emerg Med*. 2004;44:454-459.
- 10 Agrawal D, Manzi SF, Gupta R, et al. Preprocedural fasting state and adverse events in children undergoing procedural sedation and analgesia in a pediatric emergency department. *Ann Emerg Med*. 2003;42:636-646.
- 11 Ghaffar S, Haverland C, Ramaciotti C, et al. Sedation for pediatric echocardiography: evaluation of preprocedure fasting guidelines. *J Am Soc Echocardiogr*. 2002;15:980-983.
- 12 Treston G. Prolonged pre-procedure fasting time is unnecessary when using titrated intravenous ketamine for paediatric procedural sedation. *Emerg Med Australas*. 2004;16:145-150.
- 13 Cheung KW, Watson ML, Field S, Campbell SG. Aspiration pneumonitis requiring intubation after procedural sedation and analgesia: a case report. *Ann Emerg Med*. 2007 Apr;49(4):462-4.
- 14 Taylor DM, Bell A, Holdgate A, MacBean C, Huynh T, Thom O, Augello M, Millar R, Day R, Williams A, Ritchie P, Pasco J. Risk factors for sedation-related events during procedural sedation in the emergency department. *Emerg Med Australas*. 2011 Aug;23(4):466-73.
- 15 Maltby JR, Sutherland AD, Sale JP, et al. Preoperative oral fluids: is a five hour fast justified prior to elective surgery? *Anesth Analg*. 1986;65:1112-1116.

- 16 Mace SE, Brown LA, Francis L, Godwin SA, Hahn SA, Howard PK, Kennedy RM, Mooney DP, Sacchetti AD, Wears RL, Clark RM; EMSC Panel (Writing Committee) on Critical Issues in the Sedation of Pediatric Patients in the Emergency. Clinical policy: Critical issues in the sedation of pediatric patients in the emergency department. *Ann Emerg Med.* 2008 Apr;51(4):378-99, 399.e1-57.
- 17 Godwin SA, Caro DA, Wolf SJ, Jagoda AS, Charles R, Marett BE, Moore J; American College of Emergency Physicians. Clinical policy: procedural sedation and analgesia in the emergency department. *Ann Emerg Med.* 2005 Feb;45(2):177-96.
- 18 Green SM, Roback MG, Miner JR, Burton JH, Krauss B. Fasting and emergency department procedural sedation and analgesia: a consensus-based clinical practice advisory. *Ann Emerg Med.* 2007 Apr;49(4):454-61.
- 19 Larson CP Jr. Laryngospasm--the best treatment. *Anesthesiology.* 1998 Nov;89(5):1293-4.
- 20 Poulton DA, Schmörlzer GM, Morley CJ, Davis PG. Assessment of chest rise during mask ventilation of preterm infants in the delivery room. *Resuscitation.* 2011 Feb;82(2):175-9.
- 21 Baskett P, Nolan J, Parr M. Tidal volumes which are perceived to be adequate for resuscitation. *Resuscitation.* 1996 Jun;31(3):231-4.
- 22 Witting MD, Hsu S, Granja CA. The sensitivity of room-air pulse oximetry in the detection of hypercapnia. *Am J Emerg Med.* 2005 Jul;23(4):497-500.
- 23 Davidson JA, Hosie HE. Limitations of pulse oximetry: respiratory insufficiency--a failure of detection. *BMJ.* 1993 Aug 7;307(6900):372-3.
- 24 Weingart SD, Levitan RM. Preoxygenation and prevention of desaturation during emergency airway management. *Ann Emerg Med.* 2012 Mar;59(3):165-75.
- 25 Goyal M, Hollander JE, Gaieski DF. Images in emergency medicine. Synypnea. *Ann Emerg Med.* 2005 Nov;46(5):469.
- 26 Ward, KR and Yearly, DM. End-tidal carbon dioxide monitoring in emergency medicine, part 1: Basic principles. *Academic Emergency Medicine* 1998; 5(6):628.
- 27 Krauss B, Hess DR. Capnography for procedural sedation and analgesia in the emergency department. *Ann Emerg Med.* 2007 Aug;50(2):172-81.
- 28 O'Connor RE et al. Procedural Sedation and Analgesia in the Emergency Department: Recommendations for Physician Credentialing, Privileging and Practice. ACEP Board of Directors article, June 2011.
- 29 Green SM, Pershad J. Should capnographic monitoring be standard practice during emergency department procedural sedation and analgesia? Pro and con. *Ann Emerg Med.* 2010 Mar;55(3):265-7.
- 30 Deitch K, Miner J, Chudnofsky CR, Dominici P, Latta D. Does end tidal CO2 monitoring during emergency department procedural sedation and analgesia with propofol decrease the incidence of hypoxic events? A randomized, controlled trial. *Ann Emerg Med.* 2010 Mar;55(3):258-64.
- 31 Andolfatto G, Abu-Laban RB, Zed PJ, Staniforth SM, Stackhouse S, Moadebi S, Willman E. Ketamine-propofol combination (ketofol) versus propofol alone for emergency department procedural sedation and analgesia: a randomized double-blind trial. *Ann Emerg Med.* 2012 Jun;59(6):504-12.e1-2.
- 32 Green SM, Andolfatto G, Krauss B. Ketofol for procedural sedation? Pro and con. *Ann Emerg Med.* 2011 May;57(5):444-8.
- 33 Prommer EE. Ketamine for pain: an update of uses in palliative care. *J Palliat Med.* 2012 Apr;15(4):474-83
- 34 Bell RF, Dahl JB, Moore RA, Kalso E. Perioperative ketamine for acute postoperative pain. *Cochrane Database Syst Rev.* 2006 Jan 25;(1):CD004603

- 35 Annetta MG, Iemma D, Garisto C, Tafani C, Proietti R. Ketamine: new indications for an old drug. *Curr Drug Targets*. 2005 Nov;6(7):789-94.
- 36 Sacchetti A, Senula G, Strickland J, Dubin R. Procedural sedation in the community emergency department: initial results of the ProSCED registry. *Acad Emerg Med*. 2007 Jan;14(1):41-6.
- 37 Green SM, Clem KJ, Rothrock SG. Ketamine safety profile in the developing world: survey of practitioners. *Acad Emerg Med* 1996;3: 598-604.
- 38 Langston WT, Wathen JE, Roback MG, Bajaj L. Effect of ondansetron on the incidence of vomiting associated with ketamine sedation in children: a double-blind, randomized, placebo-controlled trial. *Ann Emerg Med*. 2008 Jul;52(1):30-4.
- 39 Green SM, Johnson NE. Ketamine sedation for pediatric procedures: Part 2, Review and implications. *Ann Emerg Med*. 1990 Sep;19(9):1033-46.
- 40 Mason KP, Lubisch NB, Robinson F, Roskos R. Intramuscular dexmedetomidine sedation for pediatric MRI and CT. *American Journal of Roentgenology* 2011 Sep;197(3):720-5
- 41 Sacchetti A, Jachowski J, Heisler J, Cortese T. Remifentanyl use in emergency department patients: initial experience. *Emerg Med J*. 2011 Aug 25.
- 42 Photographs Credits
 - 42.1 Lip Laceration – Mike Cadogen
 - 42.2 Dog chasing tail: <http://dribbble.com/humanshapedrobt>
 - 42.3 Pediatric elbow dislocation: Larry Mellick <http://www.youtube.com/watch?v=heTpOV1Up7g>
- 43 Other thanks
 - 43.1 Scott Brandt
 - 43.2 Peleg Perelmutter
 - 43.3 Cynthia Santos & Eugene Kim
 - 43.4 Clay Josephy